



IM-30/35 YOUR DESKTOP MAIL EXTRACTOR

The fast, convenient and secure solution to open and extract your incoming mail



IM-30/35 YOUR DESKTOP MAIL EXTRACTOR

Incoming mail is very important in any business, however it can also be complex and time-consuming. Invoices, payments and correspondence arrive daily and can easily stack up. Automation of this process results in a substantial saving of time so that your mail can be distributed earlier.

It also reduces the likelihood of errors and increases performance.

With a Neopost letter-opening system by your side, you can make the process of mail opening simpler and much faster. The IM-35 even extracts the content fully automatic.











STANDARD AND MIXED MAIL

Does your incoming mail vary in envelope size or is it homogeneous? The IM-30 and IM-35 can easily handle full mixed and standard mail, without changing any settings. Simply load your envelopes and the machine automatically feeds and opens the envelopes on one, two or three sides, or can even extract the contents!

EASY TO OPERATE

The clear and simple control panel is self-explanatory and applications can be changed at the touch of a button. The user can concentrate on the core task: sorting and distributing the incoming mail as fast and as accurately as possible.

PROTECTING YOUR DOCUMENTS

To ensure that none of your important or valuable documents are lost during extraction, envelopes are sliced on three sides and unfolded for visual control (standard on IM-35). As an option, an electro-mechanical document detection with four detectors can be delivered.

SEVERAL OPERATING MODES

The IM-30 and IM-35 have several operating modes. The machine can be operated either at an adjustable continuous speed or at operator pace by using a unique sensor-driven envelope-transport methodology.

1, 2 OR 3 SIDED OPENING

EXCLUSIVE SLICING MECHANISM

FULLY AUTOMATIC CONTENT EXTRACTION

OPTIONAL EMPTINESS DETECTION FOR EXTRA SECURITY

OPTIONAL CONVEYOR BELTS FOR EXTRA PERFORMANCE

SAVE TIME AND MONEY









SIMPLE AND EFFICIENT OPENING AND EXTRACTION

The IM-30 and IM-35 are built for efficiency and ease-of-use and are well within reach of private companies or corporate departments. Neopost offers you a solution with a small footprint that perfectly fits in an office environment. It opens hundreds of envelopes in just a few minutes, or even extracts the contents for more efficient routing.

SLICING MECHANISM

An exclusive and patented slicing mechanism slices the envelope open without cutting anything off. This protects against loosing information from valuable documents and it eliminates the production of dust and scrap paper. It also guards against sharp paper edges.

ACCESSIBILITY

The unique design of the IM-30 and IM-35 provides quick, easy and safe access to the entire envelope path, just by opening one cover. Your mail is visible and accessible during the entire opening or extracting process.

OUTPUT OPTIMISATION

Optional conveyor belts enhance the productivity of the IM-30 and IM-35: more operators can sort and judge the incoming mail.



EXPAND YOUR POSSIBILITIES

Extend the IM-30 and IM-35 with conveyor belts and professional mailroom furniture and create the ultimate mail processing solution for now and the future.

WHY CHOOSE NEOPOST

Neopost is the European leader and worldwide leading supplier of mailroom equipment and logistics solutions. Neopost offers you the most advanced range of products and services for on-line or off-line postage, large volume mail insertions, address printing, incoming mail and occasional parcel delivery and traceability management.



CUSTOMER AND AFTER SALES SERVICE

Neopost ensures the best customer and after sales service in the world. We wouldn't be nr. 1 in the world if we didn't care about you, would we?

SPECIFICATIONS	IM-30	IM-35		
STANDARD FEATURES	UNIQUE TO NEOPOST		ENVELOPES	
Large envelope hopper	Yes	Yes	Height	85 - 175 mm
Full mixed and standard mail capability, no sorting required			Width Thickness	140 - 260 mm up to 4 mm
Unique slicing mechanism	Yes	Yes	Weight	50 - 200 gsm
1, 2 or 3 sided opening	Yes	Yes		6
No production of scrap paper, dust and sharp edges	Yes	Yes	SPEED IM-30 IM-35	
Pre-programmed jobs	Yes	Yes		up to 2.400/hour up to 2.000/hour
Document extraction		Yes	IVI-35	up to 2.000/110u1
Stop counter	Yes		CONVEYOR BELT	
Batch counter			Length	1182 mm
Operator adjustable speed	Yes	Yes	DIMENSIONS	
Sensor-driven envelope transport		Yes	Length	996 mm
Low noise level	Yes	Yes	Width	564 mm
Self explanatory display	Yes	Yes	Height Weight	324 mm 63 kg - 66 kg
Visual content check		Yes	Meißilt	03 kg - 00 kg
Quick, safe and easy access to paper path by opening				
only one cover	Yes	Yes		
Compact desktop system	Yes	Yes		
OPTIONAL FEATURES	IM-30	IM-35		
	1141-20	1141-23		
Electro-mechanical emptiness detection with four sensors		Vaa		
and alarm-sound, including stop counter	Vaa	Yes		
Conveyor belt (max. 2)	Yes	Yes		



www.neopost.com



